# **EuroVanillin Butter**

#### Replaces date: 28/02/2020

.

...

.....

Revision date: 14/04/2023 Version: 1.1.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier		
Trade name:	EuroVanillin Butter	
Group name:	EuroVanillin Expert	
1.2. Relevant identified us	es of the substance or mixture and uses advised against	
Recommended uses: Formulation of flavouring and fragrance compounds		
	See enclosed exposure scenarios for further information.	
Inadvisable uses:	None.	

# 1.3. Details of the supplier of the safety data sheet

Supplier	
Company:	Borregaard AS
Address:	P.O. Box 162
City:	1701 Sarpsborg
Country:	NORWAY
E-mail:	sds@borregaard.com
Phone:	+ 47 69 11 80 00
Fax:	+ 47 69 11 87 70

## 1.4. Emergency Telephone Number

Members of the public: 111 (NHS 111 (Scotland: NHS 24)).

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# 2.2. Label elements

# Pictograms



# 2.3. Other hazards

May form explosible dust-air mixture if dispersed.

# EuroVanillin Butter

Replaces date: 28/02/2020

Revision date: 14/04/2023 Version: 1.1.0

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

Substance	CAS No./ EC No./ UK- REACH Reg. No.	Concentration	Notes	CLP-classification
Ethyl vanillin	121-32-4 204-464-7 01-2119958961-24	30 - 40 %		Eye Irrit. 2;H319
Vanillin	121-33-5 204-465-2 01-2119516040-60	1 - 10 %		Eye Irrit. 2;H319
Diacetyl	431-03-8	< 1 %		Skin Sens. 1;H317

Please see section 16 for the full text of H- / EUH-phrases.

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

Inhalation:	Seek fresh air, wash out mouth with water and blow nose thoroughly. Seek medical advice in case of persistent discomfort.
Ingestion:	Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Induce vomiting if victim is conscious. Seek medical advice in case of discomfort.
Skin contact:	Immediately remove contaminated clothing. Wash the skin thoroughly with water and continue washing for a long time. Wash contaminated clothing before reuse.
Eye contact:	Open eye wide, remove any contact lenses and flush immediately with water (preferably using eye wash equipment). Seek medical advice immediately. Continue flushing until medical attention is obtained.

#### 4.2. Most important symptoms and effects, both acute and delayed

Irritating to eyes. Causes a burning sensation and tearing.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media:	Extinguish with powder, foam, carbon dioxide or water mist.
Unsuitable extinguishing media:	Do not use water stream, as it may spread the fire.

## 5.2. Special hazards arising from the substance or mixture

Avoid formation of dust.

## 5.3. Advice for firefighters

If there is a risk of exposure to vapour and flue gases, a self-contained breathing apparatus must be worn.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Provide good ventilation. Wear safety goggles if there is a risk of dust contact with eyes. Take precautionary measures against static discharges. Use spark-free tools and explosion

# EuroVanillin Butter

Replaces date: 28/02/2020

Revision date: 14/04/2023 Version: 1.1.0

proof equipment.

## 6.2. Environmental precautions

Prevent spillage from entering drains and/or surface water.

## 6.3. Methods and material for containment and cleaning up

Contain and absorb spill with sand or other absorbent material and transfer to suitable waste containers. Rinse with water. Do not sweep - use vacuum cleaner to collect spillage.

## 6.4. Reference to other sections

See section 13 for instructions on disposal.

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Avoid formation of dust. Work processes where generation of dust may occur must be performed under effective process ventilation (e.g. local exhaust ventilation). Running water and eye wash equipment must be available. Wash hands before breaks, before using restroom facilities, and at the end of work. Take precautionary measures against static discharges. Use spark-free tools and explosion proof equipment.

## 7.2. Conditions for safe storage, including any incompatibilities

Store in a dry, cool, well-ventilated area. Do not expose to heat (e.g. sunlight). Take precautionary measures against static discharges. Use spark-free tools and explosion proof equipment.

# 7.3. Specific end use(s)

None.

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

## **Occupational exposure limit**

Substance name	Time period	ppm	mg/m³	fiber/cm3	Remarks	Comments
Ethyl vanillin	8h		5		org.støv	
Diacetyl	8h	0.02	0.07			
Diacetyl	15m	0.1	0.36			

## PNEC

Ethyl vanillin, cas-no 121-32-4					
Exposure	Value	Assessment Factor	Extrapolation Method	Note	
PNEC aqua (freshwater)	0.118 mg/l				
PNEC sediment (freshwater)	15 mg/kg				
PNEC sediment (marine water)	1.5 mg/kg				
PNEC STP (wastewater- treatment facilities)	10 mg/l				
PNEC aqua (marine water)	0.0118 mg/l				
Vanillin, cas-no 121-33-5					
Exposure	Value	Assessment Factor	Extrapolation Method	Note	
PNEC soil	19,56 mg/kg soil dw				
PNEC aqua (freshwater)	0,118 mg/l				

# EuroVanillin Butter

Replaces date: 28/02/2020			Revision date: 14/04/2023 Version: 1.1.0
water)	0,0118 mg/l		
PNEC STP (wastewater- treatment facilities)			
PNEC sediment (marine water)	5,822 mg/l		

# **DNEL** - workers

Ethyl vanillin, cas-no 121-32-4					
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note
Inhalation DNEL (long-term exposure - systemic effects)	49 mg/m³				
Inhalation DNEL (acute/short-term exposure - systemic effects)	98 mg/m³				
Dermal DNEL (long- term exposure - systemic effects)	7 mg/kg bw/day				

# **DNEL** - general population

Ethyl vanillin, cas-no	121-32-4					
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note	
Inhalation DNEL (long-term exposure - systemic effects)	8.75 mg/m³					
Inhalation DNEL (acute/short-term exposure - systemic effects)	17.5 mg/m³					
Dermal DNEL (long- term exposure - systemic effects)	2.5 mg/kg bw/day					
Oral DNEL (long- term exposure - systemic effects)	2.5 mg/kg bw/day					
Vanillin, cas-no 121-33-5						
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note	
Oral DNEL (acute/short-term exposure - systemic	10 mg/kg/day					

# 8.2. Exposure controls

effects)

Exposure controls:See enclosed exposure scenarios for further information.Appropriate engineering<br/>controls:Provide good ventilation. Running water and eye wash equipment must be available. Wear<br/>the personal protective equipment specified below.

**Personal protective equipment,** Wear safety goggles if there is a risk of dust contact with eyes. **eye/face protection:** 

**Personal protective equipment,** Wear suitable protective clothing. **skin protection:** 

**Personal protective equipment,** No specific hand protection noted, but gloves may still be advisable. hand protection:

**EuroVanillin Butter** 

Replaces date: 28/02/2020

Revision date: 14/04/2023 Version: 1.1.0

**Personal protective equipment,** Wear respiratory protective equipment with P2 filter when performing dusty work. **respiratory protection:** 

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Parameter		Value/unit
State	Powder Crystals	
Colour	White Yellowish	
Odour	Characteristic	
Solubility	Soluble in the following:	Organic solvents.
Parameter	Value/unit	Remarks
Odour threshold	No data	
Melting point	76 - 78 °C	
Freezing point	No data	
Initial boiling point and boiling range	285 °C	
Flammability (solid, gas)	No data	
Flammability limits	No data	
Explosion limits	No data	
Flash Point	> 160 °C	
Auto-ignition temperature	No data	
Decomposition temperature:	No data	
pH (solution for use)	No data	
pH (concentrate)	No data	
Kinematic viscosity	No data	
Viscosity	cSt	Not relevant. The product is a powder.
Partition coefficient n-octonol/water	No data	
Vapour pressure	0.0029 kPa	
Density	1.05 g/cm <sup>3</sup>	
Relative density	No data	
Relative vapour density	No data	
Relative density (sat. air)	No data	
Particle characteristics	No data	

#### 9.2. Other information

Parameter	Value/unit	Remarks
Molecular weight	166,19	
Evaporation rate		Not relevant. The product is a powder.
Explosive properties		Non-explosive
Oxidising properties		Non-oxidising.

Other Information:

Ref. : Hawley's Condensed Chemical Dictionary, 12th Edition; BIBRA Toxicity Profile, 1988; personal analysis / experience

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No known data.

## 10.2. Chemical stability

# **EuroVanillin Butter**

Replaces date: 28/02/2020

Revision date: 14/04/2023 Version: 1.1.0

Avoid direct sunlight. The substance is stable when used in accordance with the supplier's directions.

#### 10.3. Possibility of hazardous reactions

None known.

#### 10.4. Conditions to avoid

Avoid formation of dust.

#### 10.5. Incompatible materials

Strong alkalis/ Strong oxidisers/ Strong acids/ Metals/

#### 10.6. Hazardous decomposition products

Carbon monoxide and carbon dioxide.

# **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity - oral

# Ethyl vanillin, cas-no 121-32-4

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		> 3160 mg/kg		OECD 401	REACH dossier
Vanillin, cas-no	o 121-33-5					
Organiam	Toot Turno	Expediure time	Value	Conclusion	Toot mothod	Courses

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat L	LD50		> 3925 mg/kg		OECD 423	REACH dossier

Based on existing data, the classification criteria are deemed not to have been met.

# Acute toxicity - dermal

#### Ethyl vanillin, cas-no 121-32-4

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		> 2000 mg/kg		OECD 402	REACH dossier
Vanillin, cas-no	0 121-33-5					
Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		> 2000 mg/kg		OECD 402	REACH dossier

Based on existing data, the classification criteria are deemed not to have been met.

Acute toxicity - inhalation: Based on existing data, the classification criteria are deemed not to have been met.

#### Skin corrosion/irritation

## Ethyl vanillin, cas-no 121-32-4

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit				Non-irritating	OECD 404	REACH dossier
Vanillin, cas-no	121-33-5					
Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat				Non-irritating	EU Method B.3	REACH dossier

May irritate the skin - may cause reddening.

# Serious eye damage/eye irritation

#### Ethyl vanillin, cas-no 121-32-4

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit				Slightly irrittating.	OECD 405	REACH dossier

# Vanillin, cas-no 121-33-5

Copyright © 1995 - 2025 DGOffice B.V., www.DGOffice.net

# EuroVanillin Butter

Replaces date: 28/02/2020 Revision date: 14/04   Version: Version:							
Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source	
Rabbit				Irritating	OECD 405	REACH dossier	

Irritating to eyes. Causes a burning sensation and tearing.

# Respiratory sensitisation or skin sensitisation

# Ethyl vanillin, cas-no 121-32-4

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Mouse				Non-sensitising	OECD 429	REACH dossier
Vanillin cas-no	121-33-5					

vannin, oao ne						
Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Guinea pig					EU Method B.6 (Skin Sensitisation)	REACH dossier

Based on existing data, the classification criteria are deemed not to have been met.

# Germ cell mutagenicity

## Ethyl vanillin, cas-no 121-32-4

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
				No mutagenic effects observed.	Ames test	REACH dossier

# Vanillin, cas-no 121-33-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
				No mutagenic effects observed.	Ames test	REACH dossier

Based on existing data, the classification criteria are deemed not to have been met.

## 11.2. Information on other hazards

Endocrine disrupting	None known.
properties:	

Other toxicological effects:

Ref.: BIBRA Toxicity Profile, 1988. Acceptable daily intake (ADI) for human is intended for 0-10 mg/kg/day (The Joint FAO/WHO Expert Committee on Food Additives.)

# **SECTION 12: Ecological information**

# 12.1. Toxicity

# Ethyl vanillin, cas-no 121-32-4

	Luiyi vannini, cas-no 121-52-4						
Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
Fish	Pimephales promelas		96hEC50	~ 87.6 mg/l		OECD 203	REACH dossier
Crustacea	Daphnia magna	48 h	48hEC50	26.2 mg/l			REACH dossier
Algae	Pseudokirchne riella subcapitata	72 h	72hEC50	> 100 mg/l			REACH dossier
Algae	Pseudokirchne riella subcapitata	72 h	72hNOEC	21.2 mg/l			
Bacteria	Tetrahymena pyriformis	40 h		158.7 mg/l			REACH dossier

# Vanillin, cas-no 121-33-5

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
Fish	Pimephales promelas		96hLC50	~ 83.7 mg/l		OECD 203	REACH dossier

# EuroVanillin Butter

Replaces date: 28/02/2020 Revision date: 14/0 Version			n date: 14/04/2023 Version: 1.1.0			
Crustacea	Daphnia magna		48hEC50	~ 36.79 mg/l	OECD 202	REACH dossier
Algae	Pseudokirchne riella subcapitata		72hEC50	~ 120 mg/l	OECD 201	REACH dossier

No effect on the environment.

## 12.2. Persistence and degradability

Ethyl vanillin, cas-no 121-32-4							
Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
					Readily	OECD 301 C	REACH
					biodegradable.		dossier

# Vanillin, cas-no 121-33-5

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
					Readily biodegradable.	ISO 5815 (Water quality - Determination of BOD5)	

Test data are not available.

## 12.3. Bioaccumulative potential

No bioaccumulation expected.

#### 12.4. Mobility in soil

Test data are not available.

## 12.5. Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substances.

## 12.6. Endocrine disrupting properties

None known.

# 12.7. Other adverse effects

None known.

## **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Do not discharge large quantities of concentrated spills and residue into drains. Collect concentrated spills and major waste in closed, leak-proof containers for disposal at the applicable hazardous waste site with the below specifications.

## **SECTION 14: Transport information**

14.1. UN number or ID number:	Not applicable.
14.2. UN proper shipping	Not applicable.
name:	
14.3. Transport hazard	Not applicable.
class(es):	

14.4. Packing group: 14.5. Environmental hazards: Not applicable. Not applicable.

# 14.6. Special precautions for user

None.

# **EuroVanillin Butter**

Replaces date: 28/02/2020

Revision date: 14/04/2023 Version: 1.1.0

# 14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Special Provisions:** 

ADR/RID. REACH (EC 1907/2006) GHS/CLP (EC NO1272/2008) GHS USA June, 2015.

## 15.2. Chemical Safety Assessment

UK-REACH Reg. No.	Substance name
01-2119516040-60	Vanillin
01-2119958961-24	Ethyl vanillin
	Chemical safety assessments have been performed for the following substances: Ethylvanillin. Vanillin.

# **SECTION 16: Other information**

#### Version history and indication of changes

Ver	sion	Revision date	Responsible	Changes
1.1.0		14/04/2023	Borregaard AS	Section 11, 12

Vendor notes:	Information given in this safety data sheet is in accordance with our information, and to the best of our knowledge, was correct on the last revision date. Information given is intended to present guidelines for safe handling, use, processing, storage, transport, disposal and discharge; it is not intended to be a guarantee or quality specification. It is the responsibility of the recipient of this safety data sheet to ensure that information given here is read and understood by all who use, handle, dispose of or in any way come in contact with the product.
Hazard statements	
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
Country:	GB